PATENT COOPERATION TREATY RECT 23 COT 2001

PCT

PCT

WIPO

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

(PCT Article 36 and Rule 70)

FOR PURTHER ACTION Preliminary Examination Report (Form PCT/IPEA/416) International application No. International fliling date (day/month/year) Priority date (day/month/year) 23/07/1999		The Classification of the Control of							
PCT/NL00/00525 24/07/2000 23/07/1999 International Patent Classification (IPC) or national classification and IPC A23G1/18 Applicant STICHTING VOOR DE TECHNISCHE WETENSCHAPPEN et al. 1. This international preliminary examination report has been prepared by this International Preliminary Examining Authorand is transmitted to the applicant according to Article 36. 2. This REPORT consists of a total of 4 sheets, including this cover sheet. 3. This report is also accompanied by ANNEXES, i.e. sheets of the description, claims and/or drawings which have been arrended and are the basis for this report and/or sheets containing rectifications made before this Authority (see Rule 70.16 and Section 607 of the Administrative Instructions under the PCT). These annexes consist of a total of 5 sheets. 3. This report contains indications relating to the following items:			FOR FURTHER ACTION	See Notification of Transmittal of International Preliminary Examination Report (Form PCT/IPEA/416)					
PCT/NL00/00525 24/07/2000 23/07/1999 International Patent Classification (IPC) or national classification and IPC A23G1/18 Applicant STICHTING VOOR DE TECHNISCHE WETENSCHAPPEN et al. 1. This international preliminary examination report has been prepared by this International Preliminary Examining Authorand is transmitted to the applicant according to Article 36. 2. This REPORT consists of a total of 4 sheets, including this cover sheet. 3. This report is also accompanied by ANNEXES, i.e. sheets of the description, claims and/or drawings which have been arrended and are the basis for this report and/or sheets containing rectifications made before this Authority (see Rule 70.16 and Section 607 of the Administrative Instructions under the PCT). These annexes consist of a total of 5 sheets. 3. This report contains indications relating to the following items:			International filing date (day/monti	n/year) Priority date (day/month/year)					
International Patent Classification (IPC) or national classification and IPC A23G1/18 Applicant STICHTING VOOR DE TECHNISCHE WETENSCHAPPEN et al. 1. This international preliminary examination report has been prepared by this International Preliminary Examining Authorand is transmitted to the applicant according to Article 36. 2. This REPORT consists of a total of 4 sheets, including this cover sheet. 3. This report is also accompanied by ANNEXES, i.e. sheets of the description, claims and/or drawings which have been amended and are the basis for this report and/or sheets containing rectifications made before this Authority (see Rule 70.16 and Section 607 of the Administrative Instructions under the PCT). These annexes consist of a total of 5 sheets. 3. This report contains indications relating to the following items: 1. See Basis of the report 11. Priority 11. Nan-establishment of opinion with regard to novelty, inventive step and industrial applicability 12. Lack of unity of invention 13. Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations suporting such statement 14. Certain documents cited 15. VII. Certain documents cited 16. VIII. Certain observations on the international application 17. VIII. Certain observations on the international application 18. Date of submission of the demand 18. Date of submission of the demand 18. Date of submission of the demand 18. Date of completion of this report 19. 10. 2001 Name and mailing address of the international preliminary examining authority: 19. Decoges Munich 19. Date of MARZANO MONTERO, M		• •		i i					
This international preliminary examination report has been prepared by this International Preliminary Examining Authorand is transmitted to the applicant according to Article 36. 2. This REPORT consists of a total of 4 sheets, including this cover sheet. □ This report is also accompanied by ANNEXES, i.e. sheets of the description, claims and/or drawings which have been amended and are the basis for this report and/or sheets containing rectifications made before this Authority (see Rule 70.16 and Section 607 of the Administrative Instructions under the PCT). These annexes consist of a total of 5 sheets. 3. This report contains indications relating to the following Items: □ □ Basis of the report □ □ Priority □ Non-establishment of opinion with regard to novelty, inventive step and industrial applicability □ Lack of unity of invention ∨ □ Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations suporting such statement ∨ □ Certain documents cited ∨ □ Certain defects in the international application □ Certain observations on the international application □ Date of submission of the demand □ Date of completion of this report □ 19.10.2001 Name and mailing address of the international preliminary examining authority: □ □ Ce0238 Munich □ MARZANO MONTERO M	Internationa	Patent Classification (IPC)	or national classification and IPC						
and is transmitted to the applicant according to Article 36. 2. This REPORT consists of a total of 4 sheets, including this cover sheet. \(\times \) This report is also accompanied by ANNEXES, i.e. sheets of the description, claims and/or drawings which have been amended and are the basis for this report and/or sheets containing rectifications made before this Authority (see Rule 70.16 and Section 607 of the Administrative Instructions under the PCT). These annexes consist of a total of 5 sheets.	, ,	NG VOOR DE TECHN	ISCHE WETENSCHAPPEN et al						
☑ This report is also accompanied by ANNEXES, i.e. sheets of the description, claims and/or drawings which have been amended and are the basis for this report and/or sheets containing rectifications made before this Authority (see Rule 70.16 and Section 607 of the Administrative Instructions under the PCT). These annexes consist of a total of 5 sheets. I ☐ Basis of the report II ☐ Priority III ☐ Priority III ☐ Non-establishment of opinion with regard to novelty, inventive step and industrial applicability IV ☐ Lack of unity of invention V ☐ Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations suporting such statement VI ☐ Certain defects in the international application VIII ☐ Certain observations on the international application Date of submission of the demand Date of completion of this report 16/02/2001 19.10.2001 Name and mailing address of the international preliminary examining authority: Authorized officer MARZANO MONTERO, M MARZANO MONTERO, M	and is	transmitted to the applic	ant according to Article 36.						
Basis of the report	⊠ Ti be (s	his report is also accomp een amended and are th eee Rule 70.16 and Secti	vanied by ANNEXES, i.e. sheets of the basis for this report and/or sheets on 607 of the Administrative Instruct	ne description, claims and/or drawings which have containing rectifications made before this Authority					
III Non-establishment of opinion with regard to novelty, inventive step and industrial applicability V	1	Basis of the report Basis of the report of the report Basis of the report of the repo							
IV			A of a visite water to povolty in	ventive step and industrial applicability					
V Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations suporting such statement VI Certain documents cited VII Certain defects in the international application VIII Certain observations on the international application Date of submission of the demand Date of completion of this report 16/02/2001 Name and mailing address of the international preliminary examining authority: European Patent Office D-80298 Munich MARZANO MONTERO, M		_		ventive step and industrial approaching					
VII Certain defects in the international application VIII Certain observations on the international application Date of submission of the demand 16/02/2001 Date of completion of this report 19.10.2001 Name and mailing address of the international preliminary examining authority: European Patent Office D-80298 Munich MARZANO MONTERO, M		☑ Reasoned statement	ent under Article 35(2) with regard to	novelty, inventive step or industrial applicability;					
Date of submission of the demand Date of submission of the demand Date of completion of this report 16/02/2001 Name and mailing address of the international preliminary examining authority: European Patent Office D-80298 Munich MARZANO MONTERO, M	VI.	☐ Certain documen	ts cited						
Date of submission of the demand 16/02/2001 Name and mailing address of the international preliminary examining authority: European Patent Office D-80298 Munich Date of completion of this report 49.10.2001 Authorized officer MARZANO MONTERO, M	VII								
16/02/2001 Name and mailing address of the international preliminary examining authority: European Patent Office D-80298 Munich D-80298 Munich 19.10.2001 Authorized officer MARZANO MONTERO, M	VIII	VIII □ Certain observations on the international application							
Name and mailing address of the international preliminary examining authority: European Patent Office D-80298 Munich Authorized officer MARZANO MONTERO, M	Date of submission of the demand Date of completion of this report								
preliminary examining authority: European Patent Office D-80298 Munich MARZANO MONTERO, M	16/02/20	01	19.10.	2001					
Fay: +49.89.2399 - 4465		examining authority: European Patent Office D-80298 Munich Tel. +49 89 2399 - 0 Tx: 5	523656 epmu d	ZANO MONTERO, M					

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No. PCT/NL00/00525

		is of the report						
1.	With regard to the elements of the international application (Replacement sheets which have been furnished to the receiving Office in response to an invitation under Article 14 are referred to in this report as "originally filed" and are not annexed to this report since they do not contain amendments (Rules 70.16 and 70.17)): Description, pages:							
	1,4-	9	as originally filed					
	2,3,	3a	as received on	04/10/2001	with letter of	03/10/2001		
	Clai	ims, No.:						
	1-6		as received on	04/10/2001	with letter of	03/10/2001		
2.	With	n regard to the lan guage in which the	guage, all the elements ma international application wa	rked above were a as filed, unless othe	vailable or furnishe erwise indicated un	d to this Authority in the der this item.		
	The	se elements were	available or furnished to this	s Authority in the fo	ollowing language:	, which is:		
		the language of a	translation furnished for the	e purposes of the i	nternational search	(under Rule 23.1(b)).		
		the language of p	ublication of the internation	al application (und	er Rule 48.3(b)).			
		the language of a 55.2 and/or 55.3)	translation furnished for the	e purposes of inter	national preliminary	y examination (under Rule		
3.	With inte	n regard to any nu rnational prelimina	cleotide and/or amino acid try examination was carried	d sequence disclo out on the basis o	sed in the internation	onal application, the ng:		
		contained in the in	nternational application in w	ritten form.				
		filed together with	the international applicatio	n in computer read	lable form.			
		furnished subseq	uently to this Authority in wr	itten form.	• • •			
		furnished subseq	uently to this Authority in co	mputer readable f	orm.			
		The statement the	at the subsequently furnishe application as filed has beer	ed written sequenc n furnished.	e listing does not g	o beyond the disclosure in		
		The statement the listing has been for	at the information recorded urnished.	in computer reada	ble form is identica	I to the written sequence		
4.	The	e amendments hav	re resulted in the cancellatio	n of:				

pages: Nos.:

sheets:

☐ the description,

☐ the claims,☐ the drawings,

INTERNATIONAL PRELIMINARY **EXAMINATION REPORT**

International application No. PCT/NL00/00525

5. 🗆		port has been established as if (some of) the amendments had not been made, since they have been ered to go beyond the disclosure as filed (Rule 70.2(c)):
	(Any re report.)	placement sheet containing such amendments must be referred to under item 1 and annexed to this

- 6. Additional observations, if necessary:
- V. Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement
- 1. Statement

Novelty (N)

Yes:

Claims 1-6

No:

Claims

Inventive step (IS)

Yes:

Claims 1-6

No:

Claims

Industrial applicability (IA)

Yes:

Claims 1-6

Claims No:

2. Citations and explanations see separate sheet

Item V:

- 1. None of the documents in the available prior art discloses a method for the manufacture of chocolate comprising all the features of claim 1.
- 1.1 Document WO 98 30108 A (D1) discloses a method according of the preamble of claim 1 wherein the seed material consists in powders of stable crystals of a fat or oil. Such seeding agents are different than what is disclosed in the present application wherein seed material is actually cooled mixture at a temperature above 30°C.
- 1.2 Document DE 2602877 A (D2) discloses a method for the manufacture of chocolate wherein the seeding material is in fact cooled mixture. On the other hand, it is specified that the temperature is not higher than 30°C, so that in fact what is mixed with the chocolate mass is a mixture where crystallization kernels are already present.
- 1.3 It must be concluded that even a combination of the features of the two documents would not lead to, nor hint at, a method according to claim 1. Said claim is therefore considered to meet the requirements of Art. 33(2) and (3) PCT with regards to novelty and inventive step.
- Claims 2-6 are dependent on claim 1 and as such also meet the requirements of Art.
 33(2) and (3) PCT with regards to novelty and inventive step.




10

.liquid chocolate mass, it is heated to above the critical temperature, and subsequently cooled to a second temperature between the first temperature and the critical temperature, the thus cooled chocolate mass is mixed with 5 the seed material, the seed material used being a cooled mixture at a temperature above 30°C, but which substance has not exceeded the critical temperature and which substantially does not contain any crystalline material in the β ' phase, and in that to produce solid chocolate, the mixture is subsequently cooled to the first temperature.

Thus a simplified method is provided for the preparation of chocolate which during prolonged storage will exhibit less fat bloom or none at all. Compared with the known method, the energy consumption is limited. In the present application the critical temperature is the . temperature at which all forms of crystalline fat have changed to the molten state. This temperature may be determined by melting a sample whose fat is in the β condition (obtained, for example, by leaving molten 20 chocolate for at least three days at a temperature of 22°C) and to heat it to a temperature X and to maintain it for one minute at that temperature. The mass is subsequently cooled to 23°C at a rate of 1°C/min. (while avoiding that the liquid chocolate mass comes into contact with a surface whose temperature is more than 3°C lower than that of the chocolate mass), and examined to see whether the β or the β 'phase β develops. This experiment is carried out mechano-statically. That temperature X is the critical temperature with which after cooling again solid chocolate is obtained whose crystallization phase is substantially β '. The melting point of chocolate depends to some extent on the rate of cooling during production. Moreover, the melting point is not one single value, because chocolate has a melting range of several degrees. Indications of temperature with regard to melting temperature are in the present application related to the lowest value of the melting range. For a reliable process,

the liquid chocolate mass will generally be heated to at



least 2°C, preferably to at least 5°C above the critical temperature. A higher temperature shortens the time during which the chocolate mass has to be heated above the critical temperature. In the present application, the first temperature is understood to be the temperature at which molten chocolate mass is solidified. This temperature is below the melting temperature of the chocolate. The second temperature, which may also be called the mixing temperature, is suitably at least 2°C below the critical temperature and at least 2°C above the first temperature, conveniently above the melting temperature of the chocolate. Cocoa butter is preferably mixed at a temperature in the vicinity of T_{opt} obtained with the (empirical) formula:

15 $T_{opt} = 1.44*[St] - 3.3*[Ar]-6$ [St] being the concentration of stearic acid and [Ar] the concentration of arachidic acid as present in the free ester form in cocoa butter. When the present application refers to a substance not having exceeded the critical temperature, this means counting from the last time the substance is at least partially in a crystalline (β) phase.

As an alternative to ultrasonic treatment it is known in the art to add seed crystals to a liquid chocolate mass (Hachiya, I., et al. in Seeding Effects on Solidification Behaviour of Cocoa Butter and Dark Chocolate. II. Physical Properties of Dark Chocolate, in J. Amer. Oil Chem. Soc. 66:1763-1770 (1989).

Such a method has several disadvantages. First, solid chocolate has to be ground into (preferably the smallest possible) seed crystals. Second, said seed crystals should be mixed as homogeneously as possible with the liquid chocolate mass. Until now, these disadvantages have prevented the application of this method in large-scale production of chocolate, which term includes in the present invention also chocolate-comprising products such as biscuits with chocolate, and the like. Preferably, in the cooling steps, the temperature of the wall (that is to

CLAIMS

- 1. A method for the manufacture of chocolate, which method comprises
- a) the preparation of a cooled but still liquid chocolate mass which comprises i) a fat selected from cocoa butter and cocoa butter equivalents (CBE), and at least one component selected from a) sugar, b) cocoa mass and c) cocoa powder,
 - b) mixing the liquid chocolate mass with a seed material, and
- 10 c) allowing the mixture to cool to a first temperature below the melting temperature of chocolate, producing solid chocolate,

the seed material used in step b) being cooled mixture, characterized in that when preparing the liquid chocolate mass, it is heated to above the critical temperature, and subsequently cooled to a second temperature between the first temperature and the critical temperature, the thus cooled chocolate mass is mixed with the seed material, the seed material used being a cooled mixture at a temperature above 30°C, but which substance has not exceeded the critical temperature and which substantially does not contain any crystalline material in the β ' phase, and in that to produce solid chocolate, the mixture is subsequently cooled to the first temperature.

- 2. A method according to claim 1, characterized in that the quantity of liquid substance being added is 10 20% by volume of the fat content of the final mixture.
- 3. A method according to claim 1 or 2,
 30 characterized in that prior to being mixed with the seed
 material, the liquid chocolate mass is cooled to a second
 temperature of at least 4°C below the critical
 temperature.
- A method according to one of the preceding
 claims, characterized in that cooling to the first temperature after the addition of the seed material, takes

*place at a rate of 0.2 - 3°C/min.

- 5. A method according to one of the preceding claims, characterized in that the method is carried out as a continuous process.
- 5 6. A method according to claim 5, characterized in that the mixture is divided into a first relatively small stream and a second relatively large stream, wherein the first stream is cooled more slowly than the second stream, and subsequently used as seed material, whereas the second stream is cooled yielding solid chocolate.

(19) World Intellectual Property Organization International Bureau





(43) International Publication Date 1 February 2001 (01.02.2001)

PCT

(10) International Publication Number WO 01/06863 A1

(51) International Patent Classification7:

A23G 1/18

- (21) International Application Number: PCT/NL00/00525
- (22) International Filing Date: 24 July 2000 (24.07.2000)
- (25) Filing Language:

Dutch

(26) Publication Language:

English

(30) Priority Data: 1012691

23 July 1999 (23.07.1999) NI

- (71) Applicant (for all designated States except US): STICHT-ING VOOR DE TECHNISCHE WETENSCHAPPEN [NL/NL]; Van Vollenhovenlaan 661, NL-3527 JP Utrecht (NL).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): VAN MALSSEN, Kees, Frederik [NL/NL]; Lepelblad 111, NL-1441 VH Purmerend (NL). VAN LANGEVELDE, Adriaan, Jan [NL/NL]; Haringvlietstraat 29, NL-1316 LC Almere (NL). SCHENK, Hendrik [NL/NL]; Parklaan 1a, NL1544 AK Zaandijk (NL). PESCHAR, René [NL/NL]; C. Drebbelstraat 24 II, NL-1097 AL Amsterdam (NL).

- (74) Agent: ALTENBURG, Bernardus, Stephanus, Franciscus; Octrooibureau Los En Stigter B.V., Weteringschans 96, NL-1017 XS Amsterdam (NL).
- (81) Designated States (national): AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published:

With international search report.

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: METHOD FOR THE MANUFACTURE OF CHOCOLATE

(57) Abstract: The invention relates to a method for the manufacture of chocolate, wherein liquid chocolate mass is mixed with seed material, and the mixture is cooled to below the melting temperature. According to the invention the seed material mixture is used having a temperature of at least 30 °C, and which has not exceeded the critical temperature. A chocolate manufactured in this manner will exhibit less or no fat bloom during prolonged storage.



WO 01/06863 PCT/NL00/00525

Method for the manufacture of chocolate

The present invention relates to a method comprising

- a) the preparation of a cooled but still liquid chocolate mass which comprises i) a fat selected from
 5 cocoa butter and cocoa butter equivalents (CBE), and at least one component selected from a) sugar, b) cocoa mass and c) cocoa powder,
 - b) mixing the liquid chocolate mass with a seed material, and
- 10 c) allowing the mixture to cool to a first temperature below the melting temperature of chocolate, producing solid chocolate,

the seed material used in step b) being cooled mixture.

Such a method is known from the European patent application 0 765 606. This describes how chocolate mass from a vessel is subjected to ultrasonic treatment in order to form stable β polymorph crystals. A portion of the thus-treated mass is cooled and returned to the vessel.

The disadvantage of this method is that an apparatus is required for the generation of ultrasound for the removal of unstable polymorph crystals formed with the method, while in addition to this outlay also raising the energy costs during production of a chocolate product.

The object of the present invention is to provide a method according to the preamble with which the disadvantages are to large extent eliminated. It is the particular object of the invention to provide a method producing such a chocolate, which includes a chocolate product, which during prolonged storage will develop no or only a slight amount of white efflorescence (will exhibit less or no fat bloom).

To this end the method according to the present invention is characterized in that when preparing the

25

10

liquid chocolate mass, it is heated to above the critical temperature, and subsequently cooled to a second temperature between the first temperature and the critical temperature, the thus cooled chocolate mass is mixed with 5 the seed material, the seed material used being a cooled mixture at a temperature above 30°C, but which substance has not exceeded the critical temperature and which substantially does not contain any crystalline material in the β ' phase, and in that to produce solid chocolate, the mixture is subsequently cooled to the first temperature.

Thus a simplified method is provided for the preparation of chocolate which during prolonged storage will exhibit less fat bloom or none at all. Compared with the known method, the energy consumption is limited. In 15 the present application the critical temperature is the temperature at which all forms of crystalline fat have changed to the molten state. This temperature may be determined by melting a sample whose fat is in the β condition (obtained, for example, by leaving molten 20 chocolate for at least three days at a temperature of 22°C) and to heat it to a temperature X and to maintain it for one minute at that temperature. The mass is subsequently cooled to 23°C at a rate of 1°C/min. (while avoiding that the liquid chocolate mass comes into contact with a surface whose temperature is more than 3°C lower than that of the chocolate mass), and examined to see whether the β or the β 'phase β develops. This experiment is carried out mechano-statically. That temperature X is the critical temperature with which after cooling again solid 30 chocolate is obtained whose crystallization phase is substantially β '. The melting point of chocolate depends to some extent on the rate of cooling during production. Moreover, the melting point is not one single value, because chocolate has a melting range of several degrees. Indications of temperature with regard to melting 35 temperature are in the present application related to the lowest value of the melting range. For a reliable process, the liquid chocolate mass will generally be heated to at

25

least 2°C, preferably to at least 5°C above the critical temperature. A higher temperature shortens the time during which the chocolate mass has to be heated above the critical temperature. In the present application, the first temperature is understood to be the temperature at which molten chocolate mass is solidified. This temperature is below the melting temperature of the chocolate. The second temperature, which may also be called the mixing temperature, is suitably at least 2°C below the critical temperature and at least 2°C above the first temperature, conveniently above the melting temperature of the chocolate. Cocoa butter is preferably mixed at a temperature in the vicinity of Toot obtained

15 T_{opt} = 1.44*[St] - 3.3*[Ar]-6
[St] being the concentration of stearic acid and [Ar] the concentration of arachidic acid as present in the free ester form in cocoa butter. When the present application refers to a substance not having exceeded the critical temperature, this means counting from the last time the substance is at least partially in a crystalline (β) phase.

with the (empirical) formula:

As an alternative to ultrasonic treatment it is known in the art to add seed crystals to a liquid chocolate mass (Hachiya, I., et al. in Seeding Effects on Solidification Behaviour of Cocoa Butter and Dark Chocolate. II. Physical Properties of Dark Chocolate, in J. Amer. Oil Chem. Soc. 66:1763-1770 (1989).

Such a method has several disadvantages. First, solid chocolate has to be ground into (preferably the smallest possible) seed crystals. Second, said seed crystals should be mixed as homogeneously as possible with the liquid chocolate mass. Until now, these disadvantages have prevented the application of this method in large-scale production of chocolate, which term includes in the present invention also chocolate-comprising products such as biscuits with chocolate, and the like. Preferably, in the cooling steps, the temperature of the wall (that is to

say the interior wall) is suitably at most 5°C lower than the temperature of the optionally seeded or unseeded liquid chocolate mass, preferably at most 3°C lower, and most preferably at most 2°C.

This ensures that the fat in the solid chocolate will not be in the undesirable β ' phase.

The preparation of chocolate has been widely researched. This has also involved fundamental research on the behaviour of its components such as the 10 crystallization behaviour of cocoa butter. Schlichter-Aronhime, J. et al. (ref.1) described the formation of stable crystalline seed material in a melt. This may be done by alternating the temperature causing low-melting crystals to redissolve while more stable crystals are left. Hence, the method described in said (and other) publications relates to cocoa butter in non-stirred (static) conditions. The above publication does not concern a liquid chocolate mass which after all contains in addition a sweetener such as sugar and optionally cocoa powder. It is well known in the art that these factors affect the crystallization behaviour (of fat) in the chocolate. Ref. 2, for example, describes the differences between static and dynamic formation of chocolate. Refs. 3 and 4 describe the effects of other components on the formation of chocolate, and in particular that these may

To start the process of a continuous production, cocoa butter may be used as the seed material, as prepared according to Ref. 5, whereas subsequently mixture cooled to approximately the first temperature but having a temperature of at least 30°C, is used as seed material.

have a considerable effect on the same.

Consequently, once production is started up, this seed material is available in liberal quantities since it can be obtained just prior to the mixture cooling to below the first temperature. In accordance with an alternative embodiment, mixture that is cooled to below the first temperature may be remelted, taking care not to exceed the critical temperature. In each of the cases the seed

10

25

30

material is added at a temperature lower than the critical temperature and at a temperature of at least 30°C, such as suitably at least 32°C. In practice, the seed material will be added at a temperature that is the same as, or lower than the second temperature. The temperature may advantageously be chosen such that it contributes to the further cooling of the liquid chocolate mass.

The quantity of liquid substance being added is preferably 10 - 20% by volume of the fat content of the final mixture.

Although the amount of liquid substance added as seed material may vary greatly, for example between 5 and 90%, the above-mentioned preferred range of percentages will provide a method combining a large production volume with limited sensitivity to variations in the production conditions, such as changes in the composition of components and temperature variations within the installation where the method is applied.

Prior to being mixed with the seed material, it is
20 advantageous for the liquid chocolate mass to be cooled to
a second temperature of at least 4°C below the critical
temperature.

This provides a robust process that is less sensitive to temperature deviations.

Advantageously, cooling to the first temperature takes place subsequent to the addition of the seed material, at a rate of 0.2 - 3°C/min.

Preferably the method is carried out as a continuous process.

Continuous process simplifies the method to a considerable extent, especially since seed material can be added in a simple manner from downstream product streams.

According to a preferred embodiment the mixture is divided into a first relatively small stream and a second relatively large stream, wherein the first stream is cooled more slowly than the second stream and subsequently used as seed material, whereas the second stream is cooled yielding solid chocolate.

Cooling the small stream that is used as the seed material more slowly, ensures that high-quality seed material is obtained and allows the second stream to be cooled relatively quickly yielding solid chocolate with the desired qualities.

The present invention will now be elucidated with reference to the following exemplary embodiments.

Example

For all the experiments and the control experiments chocolate was prepared consisting of 9.0% defatted cocoa powder (natural, fat content < 0.5%), 35.0% cocoa butter (soft butter from Bahia, iodine value 41, having the fat composition shown in table I), 55.5% fine powder sugar and 0.5% lecithin.

15

10

TABLE I

Iodine value triglycerides fatty acids

Iodine value	Triglycerides		Fatty acids	
		%		8
40,7	C48	0,3	C16:0	23,5
	C50	16,4	C16:1	0,3
	C52	44,7	C18:0	31,8
	C54	36,6	C18:1	38,8
	C56	2,0	C18:2	4,1
			C18:3	0,3

20

The iodine value is determined by the Wijs method (IUPAC method 2.205). The triglyceride composition is determined by GLC (IUPAC method 2.323) and the fatty acid composition is determined with the aid of GLC via fatty acid methyl esters (IUPAC methods 2.301 and 2.302).

For the preparation of 750 g chocolate the cocoa powder and the sugar were mixed, and heated to 60°C in an oven. To this mixture a portion of the warm cocoa butter is admixed, is yielding a chocolate mass with a fat content of 25%. This chocolate mass is rolled with 700-800 kPa/cm² at approximately 30°C in order to reduce the cocoa particles and sugar, and reheated to 60°C and mixed and again rolled, now with 900-1000 kPa/cm² at approximately 30°C. More cocoa butter is added such that the mixture contains 80% of the total quantity of cocoa butter. Immediately after rolling and the addition of more cocoa butter the chocolate mass is heated for 30 minutes at 60°C, yielding a liquid chocolate mass. The temperature of 60°C is 20-22°C above the critical temperature.

The remaining cocoa butter (the cocoa butter used had solidified through natural cooling, and had been stored for certainly more than three days) is molten together with the lecithin and under stirring heated to 34°C. This is done in a vessel having a wall temperature of 35°C in order to ensure that none of the cocoa butter reaches a temperature above the critical temperature.

The liquid chocolate mass is cooled to 34°C (wall temperature above 26°C) and the mixture of cocoa butter and lecithin is admixed with the liquid chocolate mass.

25 The mixture thus obtained is cooled under stirring to 26°C in a vessel with a wall temperature of 26°C. This temperature is below the melting temperature of the chocolate (melting range 30.1-34.5°C. The thus cooled chocolate is immediately poured into moulds that have been heated to 26°C, vibrated to remove the air bubbles, and subsequently kept at 26°C for 1.5 hours. The filled moulds are then stored for 30 minutes at 10°C to facilitate the removal of the chocolate from the moulds. After removal, the chocolate is wrapped in aluminium foil.

35

EXAMPLE II

A quantity of material to be rolled (composition: minimum total content of cocoa 25% (of which at least 6.7%

defatted dry cocoa and at least 18% cocoa butter), at least 21.5% of milk constituents (of which at least 7.5% milk at) and at least 46% sucrose)) is heated to 55-60°C in an oven (mixture A). Subsequently it is cooled to 36°C on a water bath of 36°C.

Separately, 65.8 g of cocoa butter and 2.5% lecithin are mixed and heated to 36°C (mixture B).

Mixture A and 54 g of mixture B are combined at 36°C and cooled to 25°C. After 30 minutes material poured into 10 moulds is cooled to 10°C.

The addition of partially cooled mixture B (or product molten again to at least 30°C) to a mixture A, results in chocolate products that exhibit the same favourable fat bloom characteristics as chocolate obtained directly from mixture A and mixture B.

5

References

- 1) Schlichter-Aronhime, J. et al. Solidification and Polymorphism in Cocoa Butter and the Blooming Problems, in Crystallization and Polymorphism of Fats and Fatty Acids, Surfactant Science Series, Vol. 31, edited by N. Garti and K. Sato, Marcel Dekker Inc., New York, pp. 363-393, (1988)
- 2) Loisel, C. et al. Dynamic Crystallization of Dark
 Chocolate as Affected by Temperature and Lipid Additives
 in Journal of Food Science 63 (1), pp 73-79, (1998)
 - 3) Seguine, E. S., Tempering, the inside story, Manufact. Conf. 71:117-125 (1991)
- 15 4) Bricknell J. et al. Relation of Fat Bloom in Chocolate to Polymorphic Transition in Cocoa Butter, JAOCS, Vol. 75, No. 1, pp 1609-1615, (1998)
- 5) Adenier, H. et al., Solidification and Polymorphism in Cocoa Butter and the Blooming problems, Ind. Aliment. Vol. 4, p 315 (1978)

CLAIMS

- 1. A method for the manufacture of chocolate, which method comprises
- a) the preparation of a cooled but still liquid chocolate mass which comprises i) a fat selected from
 5 cocoa butter and cocoa butter equivalents (CBE), and at least one component selected from a) sugar, b) cocoa mass and c) cocoa powder,
 - b) mixing the liquid chocolate mass with a seed material, and
- 10 c) allowing the mixture to cool to a first temperature below the melting temperature of chocolate, producing solid chocolate,

the seed material used in step b) being cooled mixture, characterized in that when preparing the liquid chocolate mass, it is heated to above the critical temperature, and subsequently cooled to a second temperature between the first temperature and the critical temperature, the thus cooled chocolate mass is mixed with the seed material, the seed material used being a cooled mixture at a temperature above 30°C, but which substance has not exceeded the critical temperature and which substantially does not contain any crystalline material in the β ' phase, and in that to produce solid chocolate, the mixture is subsequently cooled to the first temperature.

- 25 2. A method according to claim 1, characterized in that the quantity of liquid substance being added is 10 - 20% by volume of the fat content of the final mixture.
- 3. A method according to claim 1 or 2,
 30 characterized in that prior to being mixed with the seed
 material, the liquid chocolate mass is cooled to a second
 temperature of at least 4°C below the critical
 temperature.
- A method according to one of the preceding
 claims, characterized in that cooling to the first temperature after the addition of the seed material, takes

place at a rate of 0.2 - 3°C/min.

- 5. A method according to one of the preceding claims, characterized in that the method is carried out as a continuous process.
- in that the mixture is divided into a first relatively small stream and a second relatively large stream, wherein the first stream is cooled more slowly than the second stream, and subsequently used as seed material, whereas the second stream is cooled yielding solid chocolate.

A.	CLAS	SIFICATION	OF SUB	JECT !	NATTER
T	PC 7	SIFICATION A230	31/18		

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols) IPC 7 A23G

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, PAJ, FSTA

C. DOCUME Category *	Category Citation of document, with indication, where appropriate, of the relevant passages Relevant to claim No.					
X	DE 26 02 877 A (WINKLER DUENNEBIER KG MASCH; DOMGRAFF AUTOMATION) 28 July 1977 (1977-07-28) page 3, line 1 -page 10, line 14; claims	1-6				
X	EP 0 765 606 A (KRAFT JACOBS SUCHARD R & D INC) 2 April 1997 (1997-04-02) page 7, line 15 - line 21 claims 13-24; examples	1-6				
X	WO 98 30108 A (MARS INC) 16 July 1998 (1998-07-16) page 32, line 11 -page 60, line 17; examples	1-6				
X	US 4 283 436 A (SOETERS CORNELIS J ET AL) 11 August 1981 (1981-08-11) column 13, line 41 -column 15, line 25	1,3-6				

Y Further documents are listed in the continuation of box C.	Patent family members are listed in annex.
Special categories of cited documents: "A" document defining the general state of the art which is not considered to be of particular relevance "E" earlier document but published on or after the international filing date "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) "O" document referring to an oral disclosure, use, exhibition or other means "P" document published prior to the international filing date but later man the priority date claimed	 "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such document is combined with one or more other such documents, such combination being obvious to a person skilled in the art. "&" document member of the same patent family
Date of the actual completion of the international search 7 November 2000	Date of mailing of the international search report 14/11/2000
Name and mailing address of the ISA European Patent Office, P.B. 5818 Patentlaan 2 NL – 2280 HV Rijswijk Tel. (+31-70) 340–2040, Tx. 31 651 epo nl, Fax: (+31-70) 340–3016	Authorized officer Boddaert, P

1



PCT WL 00/00525

	ation) DOCUMENTS CONSIDERED TO BE RELEVANT	101/46 00/00323
C.(Continuation)	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
		1.6
X	EP 0 521 205 A (UNILEVER PLC) 7 January 1993 (1993-01-07) the whole document	1-6
Α	EP 0 768 038 A (FUJI OIL CO LTD) 16 April 1997 (1997-04-16) page 4, line 41 -page 5, line 14; examples	1
Α	KOYANO T ET AL: "FAT POLYMORPHISM AND CRYSTAL SEEDING EFFECTS ON FAT BLOOM STABILITY OF DARK CHOCOLATE" FOOD STRUCTURE,US,SCANNING MICROSCOPY INTERNATIONAL, CHICAGO, IL, vol. 9, 1 January 1990 (1990-01-01), pages 231-240, XP002061521 ISSN: 1046-705X the whole document	1-6
Α	GB 2 048 928 A (RAU LEBENSMITTELWERKE) 17 December 1980 (1980-12-17)	
A	EP 0 496 310 A (BATTELLE MEMORIAL INSTITUTE) 29 July 1992 (1992-07-29)	

1



PCT Application No

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
DE 2602877	Α	28-07-1977	NONE	
EP 0765606	Α	02-04-1997	NONE	
WO 9830108	Α	16-07-1998	AU 5819398 A EP 0964618 A	03-08-1998 22-12-1999
US 4283436	Α	11-08-1981	GB 1390936 A AT 335266 B AT 272272 A BE 781427 A CA 1011987 A	16-04-1975 10-03-1977 15-06-1976 29-09-1972 14-06-1977
			CH 568018 A CS 164210 B DD 96139 A DE 2215384 A DK 151202 B	31-10-1975 07-11-1975 12-03-1973 09-11-1972 16-11-1987 17-11-1972
			FR 2132217 A HU 164998 B IE 36238 B IT 999513 B JP 59020336 B NL 7204288 A ZA 7202154 A	28-05-1974 15-09-1976 10-03-1976 12-05-1984 04-10-1972 28-11-1973
EP 0521205	A	07-01-1993	AT 121593 T DE 69109281 D DE 69109281 T JP 6284864 A US 5342644 A	15-05-1995 01-06-1995 09-11-1995 11-10-1994 30-08-1994
EP 0768038	Α	16-04-1997	JP 9103244 A US 5928704 A	22-04-1997 27-07-1999
GB 2048928	Α	17-12-1980	DE 2916604 A FR 2455080 A MY 20785 A OA 6519 A	30-10-1980 21-11-1980 31-12-1985 31-07-1981
EP 0496310	Α	29-07-1992	CH 681846 A IL 100496 A ZA 9200513 A	15-06-1993 30-03-1995 25-11-1992

		For reco	erving Office use only			
PCT	Confirmation Copy	International Application N	00/00525			
REQUEST		2 4 JUL 200 International Filing Date	2 4. 07. 00			
The undersigned requests that international application be according to the Patent Coop	processed	P.C.T. INTERNA	DE INDUSTRIÈLE EIGENDON TIONAL APPLICATION and "PCT International Application"			
RECORD CO	PY	Applicant's or agent's file (if desired) (12 characters maxi				
Box No. I TITLE OF INVENTION)N					
Method for the manufacture of choc	olate					
Box No. II APPLICANT						
Name and address: (Family name followed designation. The address must include posta address indicated in this Box is the applicant of residence is indicated below.)	il code and name of cou 's State (that is, country	of residence if no State	This person is also inventor.			
Stichting voor de Technische Weten Van Vollenhovenlaan 661	schappen		Telephone No. +31 30 600 13 19			
NL-3527 JP UTRECHT		 - -	F31 30 600 13 19			
the Netherlands		-	+31 30 601 44 08			
		}_	Celeprinter No.			
State (that is, country) of nationality:		State (that is, country) of r	residence:			
This person is applicant for the purposes of: all designations States	ated all designate the United S	d States except tates of America the U	Inited States the States indicated in the Supplemental Box			
Box No. III FURTHER APPLICAN	r(s) and/or (fur	THER) INVENTOR(S)				
Name and address: (Family name followed designation. The address must include posta address indicated in this Box is the applicant of residence is indicated below.) Van Malssen, Kees Frederik Lepelblad 111 NL-1441 VH PURMEREND the Netherlands	by given name; for a il code and name of cou 's State (that is, country	legal entity, full official intry. The country of the o) of residence if no State	This person is: applicant only applicant and inventor inventor only (If this check-box is marked, do not fill in below.)			
State (that is, country) of nationality: NL		State (that is, country)of t	residence:			
This person is applicant all designation the purposes of:			United States merica only the States indicated in the Supplemental Box			
Further applicants and/or (further)	inventors are indicate	d on a continuation sheet.				
Box No. IV AGENT OR COMMON REPRESENTATIVE; OR ADDRESS FOR CORRESPONDENCE						
The person identified below is hereby/has been appointed to act on behalf of the applicant(s) before the competent International Authorities as:						
ALTENBURG, Bernardus Stephanu	ss müst include postal co is Franciscus et al.	ode and name of country.)	Telephone No. +31 20 623 68 32			
OCTROOIBUREAU LOS EN STIGT Weteringschans 96	IEN D.V.	1	Facsimile No.			
NL-1017 XS AMSTERDAM		-	+31 20 626 00 07			
the Netherlands			Teleprinter No.			
Address for correspondence Mark	this check-box where	no agent or common repre	esentative is/has been appointed and the			

Continuation of Box No.	. Ш Бългие	R APPLICANT(S	S) AND/OR (F	URTHER) INVENT	TOR(S)
If none o	f the following sub	b-boxes is used, th	is sheet should	not be included in ti	he request
Name and address: (Family designation. The address in address indicated in this Boy of residence is indicated Wan Langevelde, Adrias Haringvlietstraat 29 NL-1316 LC ALMERE the Netherlands	ox is the applicant's elow.)	given name; for code and name of s State (that is, co	a legal entity, country. The c untry) of residen	app X app	son is: licant only licant and inventor entor only (If this check-box arked, do not fill in below.)
State (that is, country) of nat	ionality:		State (that is,	country)of residence:	
NL This person is applicant	all designated	all designated	L	the United States	the States indicated in
for the purposes of:	States	the United Sta	tes of America	of America only	the Supplemental Box
Name and address: (Family designation. The address in address in dicated in this Boof residence is indicated be Schenk, Hendrik Parklaan 1a NL-1544 AK ZAANDIJK the Netherlands	elow.)	code and name of State (that is, co	country. The c untry) of residen	appi inve	on is: licant only licant and inventor ntor only (If this check-box urked, do not fill in below.)
State (that is, country) of nat NL	ionality:		State (that is, NL	country)of residence:	
This person is applicant for the purposes of:	all designated States	all designated the United State		the United States of America only	the States indicated in the Supplemental Box
Name and address:(Family designation. The address naddress indicated in this Boof residence is indicated be Peschar, René C. Drebbelstraat 24 II NL-1097 AL AMSTERD the Netherlands	ox is the applicant s elow.)	given name; for code and name of State (that is, con	a legal entity, country. The c untry) of residen	app app inv	son is: licant only licant and inventor entor only (If this check-box earked, do not fill in below.)
State (that is, country) of nat	tionality:		State (that is, NL	country)of residence:	
This person is applicant for the purposes of:	all designated States		States except ates of America	the United States of America only	
Name and address: (Family designation. The address in address indicated in this But of residence is indicated by	name followed by nust include postal ox is the applicant's elow.)	given name; for code and name of s State (that is, co	a legal entity, country. The c untry) of residen	app app	son is: licant only licant and inventor entor only (If this check-box narked, do not fill in below.)
State (that is, country) of na	tionality:		State(that is, co	ountry) of residence:	
This person is applicant for the purposes of:	all designated States		States except ates of America	the United State of America only	
Further applicants as	nd/or (further) inve	entors are indicated	l on another co	ntinuation sheet.	

Box N	o.V DESIGNATION O. ATES						
The fo	llowing designations are hereby made under Rule 4.9(a	gark the ap	oplicable check-boxes; at least one must be marked):				
Region	al Patent						
X AP	AP ARIPO Patent: GHhana, GM Gambia, KE Kenya, LS Lesotho, MWMalawi, SD Sudan, SL Sierra Leone, SZ Swaziland, TZ United Republic of Tanzania, Uganda, ZW Zimbabwe, and any other State which is a Contracting State of the Harare Protocol and of the PCT						
▼ EA	A Eurasian Patent: AM Armenia, AZerbaijan, BY Belarus, KG Kyrgyzstan, KZ Kazakhstan, MD Republic of Moldova, RU Russian Federation, TJ Tajikistan, TM Turkmenistan, and any other State which is a Contracting State of the Eurasian Patent Convention and of the PCT						
⋉ EP	DK Denmark, ESSpain, FI Finland FRFrance, GB U	nited Kir	witzerland and Liechtenstein, CY Cyprus, DEGermany, ngdom, GRGreece, IE Ireland, IT Italy, LU Luxembourg, other State which is a Contracting State of the European Palent				
⊠ OA	OAPI Patent: BF Burkina Faskly Benin, CF Centre GA Gabon, GN Guinea, GW Guinea-Bissau, ML Malifother State which is a member State of OAPI and a Co	MR Mau ntracting	an Republic, CG Congo, CI Côte d'Ivoire, CM Cameroon, iritania, NE Niger, SN Senegal, TD Chad, TG Togo, and any State of the MCAher kind of protection or treatment desired,				
Nation							
_	al Patent(if other kind of protection or treatment desired,	specify or	a dotted: line)				
X AE		X LR	Liberia				
X AL	Albania	X LS	Lesotho				
\mathbf{X} AN	[Armenia	X LT	Lithuania				
X AT	Austria	X LU	Luxembourg				
X AU	Australia	· X · LV	Latvia				
	Azerbaijan		Morocco				
X BA	Bosnia and Herzegovina	MD MD	Republic of Moldova				
X BB	Barbados		Madagascar				
R BG		W MIC	The former Yugoslav Republic of Macedonia				
₩ ZO	Brazil	101 1VI IX					
	Belarus						
_	Canada						
	and Lswitzerland and Liechtenstein	_	Malawi				
=			Mexico				
	China						
M CK	Costa Rica	· M· NZ	New Zealand				
	Cuba		Poland				
ĭ CZ	Czech Republic	- ⊠ PT	Portugal				
	Germany						
			Russian Federation				
	I Dominica	🗷 SD	Sudan				
X EE	Estonia	SE SE	Sweden				
× ES		 ⊠ SG	Singapore				
X FI	Finland	₩ SI ·	Slovenia				
☒ GB	United Kingdom		Slovakia				
X GD	Grenada		Sierra Leone				
ズ GE	Georgia		Tajikistan				
			Turkmenistan				
	l Gambia	ĭ TR	1				
			Trinidad and Tobago				
M HU		X T7	United Penulic of Tanzania				
⊠ ID	Indonesia		Ukraine				
X IL	Israel						
ĭ IN			Uganda United States of America				
ĭ IS	India	12 US					
		[D] 110	*****				
X JP	•		Uzbekistan				
X KE	-		Viet Nam				
			Yugoslavia				
KP KP			South Africa				
		ĭ¥ ZW	Zimbabwe				
KR KR	Republic of Korea	Check-	boxes reserved for designating States which have party to the PCT after issuance of this sheet:				
- IX	Kazakiistaii		i e e e e e e e e e e e e e e e e e e e				
K LC	Saint Lucia						
X LK	Sri Lanka						
Precau	Precautionary Designation StatementIn addition to the designations made abothe applicant also makes under Rule 4.9(b) all other						

	s	heet No. 4P	CT/I	00/0052
Box No. VI PRIORITY CLAIM		Further pri	ority clan, are indic	cated in the Supplemental B
Filing date	Number		Where earlier appl	ication is:
of earlier application of ea (day/month/year)	rlier application	national application: country	regional application	international application: receiving Office
item (1) 23 July, 1999 (23.07.99)	1012691	NL		
item (2)				
item (3)				
The receiving Office is requested of the earlier application(s)(s) purposes of the present internation *Where the earlier application is an ARIPO	if the earlier app onal application i application, it is m	olication was filed with is the receiving Offi ide ntil andatory to indicate in the Si	the Office which for fied above as item(s) applemental Box at least	t one country party to the Paris
Convention for the Protection of Industrial F Box No. VII INTERNATIONAL S			ed (Rule 4.10(b)(11)). See	е Биррієтепіаї Вох.
Choice of International Searching A (if two or more International Searching A competent to carry out the international se the Authority chosen; the two-letter code may	uthority (ISAR) en uthorities are sean arch, indicate	quest to use results of	earlier search; r requested from the Inter Number	reference to that (ifemulalier rnational Searching Authority): Country (or regional Office)
ISA /	NOW OF OF	THE TALO		
	NGUAGE OF			
This international application contains the following number of sheets:	1	nal application isaccompa	nied by the item(s)	marked below:
request : 4	1. Fee calcu			
description (excluding sequence listing part)	, – ·	signed power of attorney general power of attorney		r, if any:
claims : 2	4. statemen	t explaining lack of sign	ature	
abstract : 1	5. priority of	document(s) identified in	Box No. VI as item	(s):
drawings :	6. Translatio	on of international applica	ation into (language)	:
sequence listing part of description	7. separate	indications concerning d	eposited microorgani	sm or other biological mater
	8. nucleotid	le and/or amino acid seq	uence listing in com	puter readable form
Total number of sheets ¹⁴	9. 🗷 other (sp	ecify): Copy of Search Re	port	
Figure of the drawings which should accompany the abstract:	La int	inguage of filing of the ternational application:	NL	
Box No. IX SIGNATURE OF AP	PLICANT OR	AGENT		
Next to each signature, indicate the name of the p		• • •	ns (if such capacity is not e	obvious from reading the request).
ALTENBURG, Bernardus Steph	anus Franciscu	ıs et al.		
Amsterdam, 21 July ,2000				
1. Date of actual receipt of the purpo		receiving Office use only	`	2. Drawings:
international application:	oricuz 4 101	2000 / 2 4	. 07. 00)	Z. Diawings.
 Corrected date of actual receipt du timely received papers or drawing the purported international applica 	s completing		<i></i>	received:
4. Deta eficiently asserted of the	· 4			

Date of timely receipt of the required corrections under PCT Article 11(2): not received: Transmittal of search copy delayed until search fee is paid. International Searching Authority (if two or more are competent) SA/

For International Bureau use only

Date of receipt of the record copy by the International Bureau:

23 AUGUST 2008

(23.08.00)

WO 800148-Al/ho

5

10

15

20

25

30

35

Werkwijze voor het bereiden van chocolade.

De onderhavige uitvinding heeft betrekking op een werkwijze welke omvat

- a) het bereiden van een afgekoelde maar nog vloeibare chocolademassa, welke i) een vet gekozen uit cacaoboter en cacaoboterequivalenten (CBE), en ii) ten minste een component gekozen uit a) suiker, b) cacaomassa en c) cacaopoeder, omvat,
- b) het mengen van de vloeibare chocolademassa met entmateriaal, en
- c) het laten afkoelen van het mengsel tot een eerste temperatuur gelegen onder de smelttemperatuur van de chocolade, onder oplevering van vaste chocolade,

waarbij als entmateriaal in stap b) afgekoeld mengsel wordt gebruikt.

Een dergelijke werkwijze is bekend uit de Europese octrooiaanvrage 0 765 606. Hierin wordt beschreven hoe uit een houder afkomstige chocolademassa wordt onderworpen aan een behandeling met ultrasoon geluid teneinde stabiele ß polymorfe kristallen te vormen. Een deel van aldus behandelde massa wordt afgekoeld en teruggevoerd naar de houder.

Deze werkwijze heeft als nadeel dat een inrichting vereist is voor het opwekken van ultrasoon geluid teneinde bij de werkwijze ontstane instabiele polymorfe kristallen te verwijderen, terwijl naast deze investering ook de energiekosten tijdens de productie van een chocoladeproduct verhoogd zijn.

De onderhavige uitvinding beoogt een werkwijze van de in de aanhef genoemde soort te verschaffen waarmee de nadelen in vergaande mate worden opgeheven. De uitvinding beoogt in het bijzonder een dergelijke werkwijze te verschaffen waarmee een chocolade, daaronder begrepen chocoladeproduct, wordt verschaft welke bij langdurige opslag nauwelijks of niet wit uitslaat (derhalve minder of geen vetrijp vertoont).

Hiertoe wordt de werkwijze volgens de onderhavige uitvinding gekenmerkt doordat de vloeibare chocolademassa bij



het bereiden ervan tot boven de kritische temperatuur wordt verwarmd, en vervolgens wordt afgekoeld tot een tweede temperatuur gelegen tussen de eerste temperatuur en de kritische temperatuur, de aldus afgekoelde chocolademassa met entmateriaal wordt gemengd waarbij als entmateriaal afgekoeld mengsel wordt gebruikt met een temperatuur boven de 30°C maar welke substantie de kritische temperatuur niet heeft overschreden en in hoofdzaak geen kristallijn materiaal in de β^\prime toestand bevat, en het mengsel voor het maken van vaste chocolade vervolgens wordt afgekoeld tot de eerste temperatuur.

5

10

15

20

25

30

35

Aldus wordt een vereenvoudigde werkwijze verschaft waarmee een chocolade wordt bereid die bij langdurige opslag geen of verminderde vetrijp vertoont. Hierbij zijn de enerqiekosten in vergelijking met de bekende werkwijze beperkt. In de onderhavige aanvrage is de kritische temperatuur die temperatuur waarbij alle vormen van kristallijn vet in de gesmolten toestand zijn overgegaan. Deze temperatuur kan worden bepaald door een monster waarvan het vet zich in de etatoestand bevindt (bijvoorbeeld gevormd door gesmolten chocolade gedurende ten minste 3 dagen bij 22°C te laten staan) te smelten en te verwarmen tot een temperatuur X en gedurende 1 min. bij die temperatuur te houden. Daarna wordt met een snelheid van 1°C/min. tot 23°C afgekoeld (waarbij wordt vermeden dat de vloeibare chocolademassa in contact staat met een oppervlak dat een meer dan 3°C lagere temperatuur heeft dan de chocolademassa) en onderzocht of de β of de β' toestand wordt gevormd. Dit experiment wordt mechanisch-statisch uitgevoerd. Díe temperatuur X is de kritische temperatuur, waarmee na weer afkoelen vaste chocolade wordt verkregen waarvan de kristallisatietoestand in hoofzaak β' is. Het smeltpunt van chocolade hangt enigszins af van de snelheid waarmee deze bij de vorming ervan is afgekoeld. Ook is het smeltpunt geen enkele waarde; chocolade vertoont een smelttraject van enkele graden. Wanneer in de onderhavige aanvrage wordt gesproken over temperatuuraanduidingen ten opzichte van de smelttemperatuur, dan zijn deze gerelateerd aan de benedenwaarde van het smelttraject. In het algemeen zal voor een betrouwbare procesvoering de vloeibare chocolademassa ten



minste 2°C, bij voorkeur ten minste 5°C boven de kritische temperatuur worden verwarmd. Een hogere temperatuur bekort de tijd gedurende welke de chocolademassa boven de kritische temperatuur moet worden verwarmd. In de onderhavige aanvrage wordt onder de eerste temperatuur de temperatuur verstaan 5 waarbij gesmolten chocolademassa wordt gestold. Deze temperatuur ligt dus beneden de smelttemperatuur van de chocolade. De tweede temperatuur, welke ook kan worden aangeduid als de mengtemperatuur, ligt geschikt ten minste 2°C beneden de kritische temperatuur en ten minste 2°C boven de eerste 10 temperatuur, gerieflijk boven de smelttemperatuur van de chocolade. Voor cacaoboter geschiedt het mengen bij voorkeur nabij een temperatuur Topt die wordt gegeven door de (empirische) formule:

15 $T_{opt} = 1,44*[St] - 3,3*[Ar]-6$ waarbij [St] de concentratie stearinezuur en [Ar] de concentratie arachidezuur zijn, zoals deze in vrije en estervorm in cacaoboter aanwezig zijn. Wanneer in de onderhavige aanvrage wordt gesproken over een substantie die de kritische temperatuur niet heeft overschreden, dan dient dit te worden gerekend vanaf de laatste keer dat de substantie zich ten minste gedeeltelijk in een kristallijne (β) toestand bevindt.

Als alternatief voor een behandeling met ultrasoon geluid is het in het vak (Hachiya, I., et al. in Seeding Effects on Solidification Behavior of Cocoa Butter and Dark Chocolate. II. Physical Properties of Dark Chocolate, in J. Amer. Oil Chem. Soc. 66:1763-1770(1989) bekend om entkristallen aan een vloeibare chocolademassa toe te voegen.

25

30

35

Een dergelijke werkwijze heeft verscheidene nadelen. Ten eerste dient vaste chocolade tot (liefst zo klein mogelijke) entkristallen te worden vermalen. Ten tweede moeten deze entkristallen zo homogeen mogelijk door de vloeibare chocolademassa worden gemengd. Deze nadelen hebben tot nu toe toepassing van deze werkwijze bij de grootschalige productie van chocolade, waaronder in de onderhavige uitvinding tevens chocolade omvattende producten zoals koekjes met chocolade en dergelijke worden begrepen, verhinderd.

Bij voorkeur is bij de afkoelstappen de temperatuur van de wand (dat wil zeggen de binnenwand) geschikt ten

hoogste 5°C lager dan de temperatuur van de al dan niet reeds beënte vloeibare chocolademassa, bij voorkeur ten hoogste 3°C lager en met meer voorkeur ten hoogste 2°C.

Aldus wordt met meer zekerheid bevorderd dat het vet in de gevormde vaste chocolade zich niet in de ongewenste β' toestand bevindt.

5

10

15

20

25

30

35

Er is naar de bereiding van chocolade veel onderzoek verricht. Ook is hierbij fundamenteel onderzoek verricht naar het gedrag van bestanddelen daarvan, zoals het kristallisatiegedrag van cacaoboter. Schlichter-Aronhime, J. et al. (ref. 1) beschrijven de vorming van stabiel kristallijn entmateriaal in een smelt. Dit kan geschieden door het wisselen van de temperatuur waarbij laag-smeltende kristallen weer oplossen en stabielere kristallen overblijven. De in deze publicatie, en ook elders, beschreven werkwijze heeft derhalve betrekking op cacaoboter onder niet-geroerde (statische) omstandigheden. Het betreft hier derhalve geen vloeibare chocolademassa welke immers verder een zoetstof zoals suiker en optioneel cacaopoeder omvat. Het is in het vak welbekend dat deze factoren van invloed zijn op het kristallisatiegedrag (van vet) in de chocolade. Zo beschrijft ref. 2 het optreden van verschillen tussen statische en dynamische vorming van chocolade. Ref. 3 en 4 beschrijven het effect van andere componenten op de vorming van chocolade, en in het bijzonder dat deze een zeer grote invloed daarop kunnen hebben.

Voor het opgang brengen van een continue productie kan als het entmateriaal cacaoboter worden gebruikt zoals bereid volgens ref. 5, terwijl daarna als entmateriaal tot nabij de eerste temperatuur afgekoeld maar met een temperatuur van ten minste 30°C mengsel wordt gebruikt.

Dit entmateriaal is dus, zodra de productie éénmaal is opgestart, in ruime mate voorhanden, aangezien het kan worden verkregen juist voordat het mengsel tot beneden de eerste temperatuur wordt afgekoeld. Volgens een alternatieve uitvoeringsvorm kan tot beneden de eerste temperatuur afgekoeld mengsel weer worden opgesmolten, waarbij er voor wordt gewaakt dat de kritische temperatuur niet wordt overschreden. In elk van de gevallen wordt het entmateriaal toegevoegd met



5

10

15

20

25

30

35

een temperatuur beneden de kritische temperatuur en ten minste 30°C, zoals geschikt ten minste 32°C. In de praktijk zal het entmateriaal worden toegevoegd bij een temperatuur gelijk aan of lager dan de tweede temperatuur. Hierbij kan met voordeel de temperatuur van het entmateriaal zodanig zijn gekozen dat dit bijdraagt aan het verder afkoelen van de vloeibare chocolademassa.

Bij voorkeur omvat de hoeveelheid vloeibare substantie die wordt toegevoegd 10 - 20 vol.% van het vet van het uiteindelijke mengsel.

Ofschoon de hoeveelheid vloeibare substantie die als entmateriaal wordt toegevoegd binnen een groot bereik kan worden gevarieerd, bijvoorbeeld tussen 5 en 90%, wordt binnen het genoemde voorkeursbereik een werkwijze verschaft welke een groot productievolume combineert met beperkte gevoeligheid voor variaties in de procesomstandigheden, zoals wisselende grondstofsamenstellingen en temperatuurvariaties binnen de inrichting waarin de werkwijze wordt toegepast.

Met voordeel wordt de vloeibare chocolademassa tot een tweede temperatuur afgekoeld die ten minste 4°C beneden de kritische temperatuur ligt alvorens met entmateriaal te worden gemengd.

Aldus wordt een robuust proces verschaft dat minder gevoelig is voor temperatuurafwijkingen.

Met voordeel geschiedt het afkoelen na het toevoegen van entmateriaal tot de eerste temperatuur met een snelheid van 0,2 tot 3°C/min.

Bij voorkeur wordt de werkwijze als een continuproces bedreven.

Continu bedrijf vereenvoudigt de werkwijze aanmerkelijk, in het bijzonder doordat op eenvoudige wijze entmateriaal kan worden toegevoegd afkomstig van benedenstroomse productstromen.

Volgens een voorkeursuitvoeringsvorm wordt het mengsel gesplitst in een eerste relatief kleine stroom en een tweede relatief grote stroom, waarbij de eerste stroom langzamer wordt afgekoeld dan de tweede stroom en vervolgens als entmateriaal wordt gebruikt en de tweede stroom wordt afgekoeld onder oplevering van vaste chocolade.

Door de kleine stroom, die als entmateriaal wordt gebruikt, langzamer af te koelen, wordt verzekerd dat kwalitatief goed entmateriaal wordt verkregen en kan de tweede stroom relatief snel worden afgekoeld onder oplevering van vaste chocolade met de gewenste eigenschappen.

De onderhavige uitvinding zal thans worden toegelicht aan de hand van de volgende uitvoeringsvoorbeelden.

Voorbeeld

5

10

Voor de experimenten en controle-experimenten werd chocolade bereid bestaande uit 9,0% ontvet cacaopoeder (type naturel, vetpercentage <0,5%), 35,0% cacaoboter (zachte boter uit Bahia, joodgetal 41, met de in tabel I weergegeven vetsamenstelling), 55,5% fijne poedersuiker en 0,5% lecithine.

TABEL I
Joodgetal triglyceriden vetzuren

Joodgetal	Triglyce	riden %	vetzuren	ક
40,7	C48	0,3	C16:0	23,5
	C50	16,4	C16:1	0,3
	C52	44,7	C18:0	31,8
	C54	36,6	C18:1	38,8
	C56	2,0	C18:2	4,1
			C18:3	0,3

Het joodgetal is bepaald met de Wijs-methode (IUPAC methode 2.205). De triglyceridesamenstelling is bepaald met GLC (IUPAC methode 2.323) en de vetzuursamenstelling met behulp van GLC via vetzuurmethylesters (IUPAC methoden 2.301 en 2.302).

VOORBEELD I

5

10

15

20

25

30

35

Voor de bereiding van 750 g chocolade, worden het cacaopoeder en de suiker gemengd en in een oven tot 60°C verwarmd. Aan dit mengsel wordt een deel van de cacaoboter warm toegevoegd en gemengd, onder oplevering van een chocolademassa die 25% vet bevat. Voor het verkleinen van cacaodeeltjes en suiker wordt deze chocolademassa gewalst met 700-800 kPa/cm² bij ca. 30°C weer tot 60°C verwarmd en gemengd en weer gewalsd, nu met 900-1000 kPa/cm² en bij ca. 30°C. Meer cacaoboter wordt toegevoegd, zodanig dat het mengsel 80% van de totale hoeveelheid cacaoboter bevat. Direct na het walsen en toevoegen van de verdere cacaoboter wordt de chocolademassa gedurende een half uur bij 60°C verwarmd onder oplevering van een vloeibare chocolademassa. De temperatuur van 60°C ligt 20-22°C boven de kritische temperatuur.

De rest van de cacaoboter (als cacaoboter werd door natuurlijke afkoeling gestolde cacaoboter gebruikt die een onbepaalde periode van zeker meer dan 3 dagen heeft gestaan) wordt tezamen met de lecithine gesmolten en onder roeren tot 34°C verwarmd. Dit geschiedt in een houder met een wandtemperatuur van 35°C waardoor wordt verzekerd dat geen (deel van)

de cacaoboter een temperatuur bereikt die boven de kritische temperatuur ligt.

De vloeibare chocolademassa wordt afgekoeld tot 34°C (wandtemperatuur boven 26°C) en het mengsel van cacaoboter en lecithine wordt toegevoegd en met de vloeibare chocolademassa gemengd. Het aldus gevormde mengsel wordt onder roeren tot 26°C afgekoeld in een houder met een wandtemperatuur van 26°C. Deze temperatuur ligt beneden de smelttemperatuur (smelttraject 30,1-34,5°C) van de chocolade. De aldus afgekoelde chocolade wordt direct in op 26°C verwarmde vormen gegoten, ter verwijdering van luchtbellen getrild, en vervolgens gedurende 1,5 uur bij 26°C gehouden. Vervolgens worden de gevulde vormen een half uur bij 10°C opgeslagen teneinde het lossen van de chocolade uit de vormen te vergemakkelijken. Na het lossen wordt de chocolade verpakt in aluminiumfolie.

VOORBEELD II

5

10

15

20

25

30

Een hoeveelheid walsgoed (Samenstelling: totaal cacaogehalte minimaal 25% (waarvan ten minste 6,7% ontvette droge cacao en ten minste 18% cacaoboter), melkbestanddelen ten minimaal 21.5% (waarvan ten minste 7,5% melkvet) en sucrose minimaal 46%)) wordt in een oven tot 55-60°C verwarmd (mengsel A). Daarna wordt het op een waterbad van 36°C tot 36°C afgekoeld.

Apart daarvan worden 65,8 g cacaoboteren en 2,5% lecithine gemengd en op 36°C gebracht (mengsel B).


Mengsel A en 54 g van mengsel B worden samengevoegd bij 36°C en afgekoeld tot 25°C. Na 30 min. wordt in vormen gegoten materiaal tot 10°C afgekoeld.

Wanneer deels afgekoeld mengsel B (of weer tot ten minste 30°C opgesmolten product) wordt toegevoegd aan een mengsel A worden daar chocoladeproducten mee verkregen die dezelfde gunstige vertrijp-eigenschappen laten zien als direct uit mengsel A en mengsel B verkregen chocolade.



Referenties

- Schlichter-Aronhime, J. et al. Solidification and Polymorphism in Cocoa Butter and the Blooming Problems, in Crystallization and Polymorphism of Fats and Fatty Acids, Surfactant Science Series, Vol. 31, edited by N. Garti and K. Sato, Marcel Dekker Inc., New York, pp. 363-393, (1988)
- 2) Loisel, C. et al. Dynamic Crystallization of Dark Chocolate as Affected by Temperature and Lipid Additives in Journal of Food Science 63 (1), pp 73-79, (1998)
- 3) Seguine, E. S., Tempering, the inside story, Manufact. Conf. 71:117-125 (1991)
- 4) Bricknell J. et al. Relation of Fat Bloom in Chocolate to Polymorphic Transition in Cocoa Butter, JAOCS, Vol. 75, no. 1, pp 1609-1615, (1998)
- 5) Adenier, H. et al., Solidification and Polymorphism in Cocoa Butter and the Blooming problems, Ind. Aliment. vol. 4 pp 315 (1978)



- Werkwijze voor het bereiden van chocolade, welke werkwijze omvat
- a) het bereiden van een afgekoelde maar nog vloeibare chocolademassa, welke i) een vet gekozen uit cacaoboter en cacaoboterequivalenten (CBE), en ii) ten minste een component gekozen uit a) suiker, b) cacaomassa en c) cacaopoeder, omvat,
 - b) het mengen van de vloeibare chocolademassa met entmateriaal, en

10

15

20

25

35

c) het laten afkoelen van het mengsel tot een eerste temperatuur gelegen onder de smelttemperatuur van de chocolade, onder oplevering van vaste chocolade,

waarbij als entmateriaal in stap b) afgekoeld mengsel wordt gebruikt, **met het kenmerk**, dat de vloeibare chocolademassa bij het bereiden ervan tot boven de kritische temperatuur wordt verwarmd, en vervolgens wordt afgekoeld tot een tweede temperatuur gelegen tussen de eerste temperatuur en de kritische temperatuur, de aldus afgekoelde chocolademassa met entmateriaal wordt gemengd waarbij als entmateriaal afgekoeld mengsel wordt gebruikt met een temperatuur boven de $30\,^{\circ}$ C maar welke substantie de kritische temperatuur niet heeft overschreden en in hoofdzaak geen kristallijn materiaal in de β' toestand bevat, en het mengsel voor het maken van vaste chocolade vervolgens wordt afgekoeld tot de eerste temperatuur.

- 2. Werkwijze volgens conclusie 1, met het kenmerk, dat de hoeveelheid vloeibare substantie die wordt toegevoegd 10 20 vol.% van het vet van het uiteindelijke mengsel omvat.
- 3. Werkwijze volgens conclusie 1 of 2, met het kenmerk, dat de vloeibare chocolademassa tot een tweede temperatuur wordt afgekoeld die ten minste 4°C beneden de kritische temperatuur ligt alvorens met entmateriaal te worden gemengd.
 - 4. Werkwijze volgens een der voorgaande conclusies, met het kenmerk, dat het afkoelen na het toevoegen van entma-

teriaal tot de eerste temperatuur geschiedt met een snelheid van 0,2 tot 3°C/min.

- 5. Werkwijze volgens een der voorgaande conclusies, met het kenmerk, dat de werkwijze als een continu-proces 5 wordt bedreven.
- 6. Werkwijze volgens conclusie 5, met het kenmerk, dat het mengsel wordt gesplitst in een eerste kleine stroom en een tweede relatief grote stroom, waarbij de eerste stroom langzamer wordt afgekoeld dan de tweede stroom en vervolgens als entmateriaal wordt gebruikt en de tweede stroom wordt 10 afgekoeld onder oplevering van vaste chocolade.

UITTREKSEL

De uitvinding heeft betrekking op een werkwijze voor het bereiden van chocolade waarbij een vloeibare chocolademassa wordt gemengd met entmateriaal, en het mengsel tot beneden de smelttemperatuur van het mengsel wordt afgekoeld. Volgens de uitvinding wordt als entmateriaal dat een temperatuur heeft van ten minste 30°C en de kritische temperatuur niet heeft overschreden. Een met deze werkwijze bereide chocolade vertoont bij langdurige opslag geen of minder vetrijp.

 \mathbb{Q}^{\vee}




INTERNATIONAL SEARCH REPORT

(PCT Article 18 and Rules 43 and 44)

Applicant's or agent's file reference	FOR FURTHER see Notification of Transmittal of International Search Report		
WO 800148-AI	ACTION (Form PC1/ISA/2	20) as well as, where applicable, item 5 below.	
International application No.	International filing date (day/month/year)	(Earliest) Priority Date (day/month/year)	
PCT/NL 00/00525	24/07/2000	23/07/1999	
Applicant			
CTICUTING VOOD DE TECHNIS	CUE VETENCOUADDEN		
STICHTING VOOR DE TECHNIS	CHE WETENSCHAPPEN		
This International Search Report has beer according to Article 18. A copy is being tra	n prepared by this International Searching Auth Insmitted to the International Bureau.	nority and is transmitted to the applicant	
This International Search Report consists It is also accompanied by	of a total of3 sheets. a copy of each prior art document cited in this	report.	
Basis of the report			
	international search was carried out on the bas ess otherwise indicated under this item.	sis of the international application in the	
the international search w Authority (Rule 23.1(b)).	as carried out on the basis of a translation of the	ne international application furnished to this	
b. With regard to any nucleotide an		ternational application, the international search	
was carried out on the basis of the contained in the internatio	nal application in written form.		
filed together with the international application in computer readable form.			
furnished subsequently to	this Authority in written form.		
furnished subsequently to	this Authority in computer readble form.		
	sequently furnished written sequence listing d s filed has been furnished.	oes not go beyond the disclosure in the	
· ' '		s identical to the written sequence listing has been	
2. Certain claims were four	nd unsearchable (See Box I).		
3. Unity of Invention is laci	n is lacking (see Box II).		
4. With regard to the title ,			
X the text is approved as su	bmitted by the applicant.		
the text has been establis	hed by this Authority to read as follows:		
5. With regard to the abstract,	•		
X the text is approved as su			
	hed, according to Rule 38.2(b), by this Authorit date of mailing of this international search rep		
6. The figure of the drawings to be publi	ished with the abstract is Figure No.		
as suggested by the appli	icant. None of the figures.		
because the applicant faile	illed to suggest a figure.		
because this figure better	characterizes the invention.		

INTERNATIONAL SEARCH REPORT



A. CLASSIFICATION OF SUBJECT MATTER IPC 7 A23G1/18

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols) $IPC \ 7 \qquad \text{A23G}$

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)


EPO-Internal, WPI Data, PAJ, FSTA

Category Citation of document, with indication	on, where appropriate, of the relevant passages	Relevant to claim No.
MASCH; DOMGRAFF A		1-6
EP 0 765 606 A (INC) 2 April 199 page 7, line 15 claims 13-24; e	- line 21	1-6
WO 98 30108 A (M 16 July 1998 (19 page 32, line 11 examples		1-6
11 August 1981 (SOETERS CORNELIS J ET AL) 1981-08-11) 41 -column 15, line 25 	1,3-6

Further documents are listed in the continuation of box C.	χ Patent family members are listed in annex.
 Special categories of cited documents: "A" document defining the general state of the art which is not considered to be of particular relevance "E" earlier document but published on or after the international filing date "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) "O" document referring to an oral disclosure, use, exhibition or other means "P" document published prior to the international filing date but later than the priority date claimed 	 "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art. "&" document member of the same patent family
Date of the actual completion of the international search	Date of mailing of the international search report
7 November 2000	14/11/2000
Name and mailing address of the ISA	Authorized officer
European Patent Office, P.B. 5818 Patentlaan 2 NL – 2280 HV Rijswijk Tel. (+31-70) 340–2040, Tx. 31 651 epo nl, Fax: (+31-70) 340–3016	Boddaert, P

1

INTERNATIONAL SEARCH REPORT



	NL 00/00525
C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT	
Category Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X . EP 0 521 205 A (UNILEVER PLC) 7 January 1993 (1993-01-07) the whole document	1-6
EP 0 768 038 A (FUJI OIL CO LTD) 16 April 1997 (1997-04-16) page 4, line 41 -page 5, line 14; examples	1
KOYANO T ET AL: "FAT POLYMORPHISM AND CRYSTAL SEEDING EFFECTS ON FAT BLOOM STABILITY OF DARK CHOCOLATE" FOOD STRUCTURE,US,SCANNING MICROSCOPY INTERNATIONAL, CHICAGO, IL, vol. 9, 1 January 1990 (1990-01-01), pages 231-240, XP002061521 / ISSN: 1046-705X the whole document	1-6
GB 2 048 928 A (RAU LEBENSMITTELWERKE) 17 December 1980 (1980-12-17)	
EP 0 496 310 A (BATTELLE MEMORIAL INSTITUTE) 29 July 1992 (1992-07-29)	

INTERNATIONAL SEARCH REPORT

International Application No ր on patent family members NL 00/00525 Patent document **Publication** Patent family Publication cited in search report member(s) date DE 2602877 Α 28-07-1977 NONE EP 0765606 Α 02-04-1997 NONE WO 9830108 Α 16-07-1998 ΑU 5819398 A 03-08-1998 EΡ 0964618 A 22-12-1999 US 4283436 11-08-1981 GB 1390936 A 16-04-1975 AT 335266 B 10-03-1977 272272 A AT 15-06-1976 ΒE 781427 A 29-09-1972 CA 1011987 A 14-06-1977 CH 568018 A 31-10-1975 CS 164210 B 07-11-1975 DD 96139 A 12-03-1973 DE 2215384 A 09-11-1972 DK 151202 B 16-11-1987 FR 2132217 A 17-11-1972 HU 164998 B 28-05-1974 ΙE 36238 B 15-09-1976 IT 999513 B 10-03-1976 59020336 B JP 12-05-1984 NL 7204288 A 04-10-1972 ZA 7202154 A 28-11-1973 EP 0521205 Α 07-01-1993 AT 121593 T 15-05-1995 DE 69109281 D 01-06-1995 DE 69109281 T 09-11-1995 JP 6284864 A 11-10-1994 US 5342644 A 30-08-1994 EP 0768038 Α 16-04-1997 JP 9103244 A 22-04-1997 US 5928704 A 27-07-1999 GB 2048928 Α 17-12-1980 DE 2916604 A 30-10-1980 FR 2455080 A 21-11-1980 31-12-1985 MY 20785 A 0A 6519 A 31-07-1981

CH

ΙL

ZΑ

681846 A

100496 A

9200513 A

15-06-1993

30-03-1995

25-11-1992

EP 0496310

Α

29-07-1992